


AMD RYZEN 7950X

9

PURE GAMING PERFORMANCE


GAMING PERFORMANCE

UP TO



CREATOR PERFORMANCE

UP TO



AMD Ryzen™ 7950X



AMD Ryzen™ 5950X



RPL-007: Testing as of 15 August, 2022, by AMD Performance Labs using the following hardware: AMD Socket AM5 Reference Motherboard with AMD Ryzen™ 9 7950X, Ryzen™ 9 7900X, Ryzen™ 5 7600X and G.Skill DDR5-6000C30 (F5-6000J3038F16GX2-TZ5N) with AMD EXPO™; versus AMD Socket AM4 Reference Motherboard with Ryzen™ 9 5950X, Ryzen™ 9 5900X, Ryzen™ 5 5600X; versus ROG Maximus Z690 Hero with Core i9-12900K and G.Skill DDR5-6000C30 (F5-6000J3038F16GX2-TZ5N) with AMD EXPO™ loaded. ALL SYSTEMS configured with NX2T Kraken X63, open air test bench, Radeon™ RX 6950XT (driver 22.7.1 Optional), Windows® 11 22H2, AMD Smart Access Memory/PCIe® Resizable Base Address Register ("ReBAR") ON, Virtualization-Based Security (VBS) OFF. All games tested at 1920x1080 with HIGH in-game preset and the chronologically newest graphics industry API available within the game's rendering engine (e.g. Vulkan® over OpenGL™, DirectX® 12 over DirectX® 11). Results may vary.

RPL-008: Testing as of 15 August, 2022, by AMD Performance Labs using the following hardware: AMD AM5 Reference Motherboard with AMD Ryzen™ 9 7950X with G.Skill DDR5-6000C30 (F5-6000J3038F16GX2-TZ5N) with AMD EXPO™ loaded, AMD AM4 Reference Motherboard with AMD Ryzen™ 9 5950X and DDR4-3600C16, and ROG Maximus Z690 Hero with Core i9-12900K and G.Skill DDR5-6000C30 (F5-6000J3038F16GX2-TZ5N) with AMD EXPO™ loaded. ALL SYSTEMS configured with NX2T Kraken X63, open air test bench, Radeon™ RX 6950XT (driver 22.7.1 Optional), Windows® 11 22H2, AMD Smart Access Memory/PCIe® Resizable Base Address Register ("ReBAR") ON, Virtualization-Based Security (VBS) OFF. Results may vary.